

iGLO LED Titan Shoebox Series G14 - 300W


ENVIRONMENTALLY FRIENDLY, ENERGY EFFICIENT

iGLOLED
IGLOLED.NET



Features

- Lumileds Chip, high CRI
- No UV or IR in the beam
- cULus, DLC certificates
- Easy to install and operate
- Energy saving and long lifespan
- Light is soft and uniform, safe to eyes
- Input voltage 120-277VAC
- Green and eco-friendly without mercury
- Instant start, NO flickering, NO humming
- Output constant current lever can be adjusted through output cable with 1-10V




ADJUSTABLE
SLIP FITTER MOUNTING (AM)

Applications

Outdoor basketball court,
tennis and badminton courts,
school playgrounds, football
fields, stadiums etc.

Product Dimension



ADJUSTABLE SLIP FITTER MOUNTING (AM)

iGLO LED Titan Shoebox Series G14 - 300W

ENVIRONMENTALLY FRIENDLY, ENERGY EFFICIENT




PRODUCT SPECIFICATIONS

iGLO LED Titan Shoebox Series: DLC Listing: AST-S-G14-300WBT3A1-abcdeg	
Mounting Installation:	Slip Fitter Mounting
Wattage:	300W
Lumens:	41380 LM
CCT:	5000K
Input Voltage:	120-277VAC, 50/60 Hz
Power Factor:	≥0.90
Efficacy:	137.7 LM/W
CRI:	>80
THD:	≤20%
Beam Angle:	150*100°
Operating Temperature:	-35°C to 50°C
Housing:	Aluminum Die Casting
Housing Color:	Brown, Black, or Customizable
Waterproof Rating:	WET (IP65)
Certificates:	DLC Premium, cULus
Warranty:	5 Years
EPA:	2.1 ft ²

Mounting Type	Box Size	Qty/Carton	Net Weight	Gross Weight
(AM) Adjustable SlipFitter Mounting	29.52*15.15*6.1 in	1 PC	6.6 kg	7.8 kg

PHOTOMETRIC DATA

Luminous Intensity Distribution Curve



The Average Illuminance Effective Figure

