



Features


- CE certificate.
- Double ended Led T5 tube
- Environmentally friendly without mercury
- 30,000+ hours lifespan & 2 years warranty
- High lumen efficiency
- Easy Installation.



Applications

Hotels, Bars, Shopping Malls, Corridors,
Restrooms, Museums, Exhibition Hall,
Warehouse, Home Interior Lighting etc.

Length	2ft	3ft	4ft	5ft
Dimension A [mm]	549mm	849mm	1149mm	1449mm
Dimension B [mm]	556mm	863mm	1156mm	1463mm



iGLO LED T5 Tube Series - 8W, 12W

ENVIRONMENTALLY FRIENDLY, ENERGY EFFICIENT



PRODUCT SPECIFICATIONS

iGLO LED Double Ended T5 Tube:	ZS-T5-2835-8W ZS-T5-2835-12W
Wattage:	8W / 12W
CCT:	3000K / 4000K/ 5000K/ 6500K
Input Voltage:	100-277VAC
Power Factor:	0.6
Efficacy:	100 lm/W
CRI:	>80
Projected Hours (Life Span):	≥30000 hrs
LED Type:	SMD2835
Operation Temperature:	-20°C to 50°C
Housing Material:	Half Aluminum/ Half PC or Full Glass
Certificates:	CE
Warranty:	30,000 hours / 2 years

iGLO LED T5 Tube Series - 8W, 12W

ENVIRONMENTALLY FRIENDLY, ENERGY EFFICIENT



WARNING

- Not for use in vapor-tight fixture.
- Not for use with dimmers.
- Not suitable for outdoor use.
- Not suitable for high temperature or damp locations.
- Not suitable for heavy air polluted locations.
- Please turn off the power before replacing new bulb.

CAUTION

- Risk of electric shock.
- Use in dry locations only.